


ASSA ABLOY


Installation Instructions

As Easy As A B C → G



Universal Door Closer with A14 Heavy Duty Friction Hold Open Parallel Arm

DC8210 Series Multi-Sized 1 thru 6





Heavy Duty Friction Hold Open

IMPORTANT:

- An improperly installed or incorrectly adjusted door closer may cause property damage or personal injury; and will void product warranty.
- To avoid personal injury, **DO NOT DISASSEMBLE THIS DOOR CLOSER BODY.**
- Door closers must be securely fastened to a properly reinforced door and frame with fasteners provided.
- An auxiliary door stop, BY OTHERS, is required for this Installation
- Arm is handed and must match hand of door.


BEFORE INSTALLING:



- The Americans with Disabilities Act (ADA) requires that doors having door closers have an opening force not to exceed 5 lbf.
- The door closer's power size adjustment feature may require adjustment to its lowest setting to comply with ADA opening force guidelines.
- ADA compliant closers are: DC8210.

| | Size of Door & Door Closer | | | | | | | |
|----------------------------|----------------------------|-------------------------|---------------------------|----------------------------|-------------------------------------|--|--|--|
| Type of Installation | Interior | Exterior In-swinging | Exterior Out -swinging | Recommended Closer Size | **Max. Opening Force lbs/f | | | |
| | 2'4" 2'6" | | | 1 | 8 | | | |
| Parallel | 3'0" | | 2'6" | 2 | 14 16 | | | |
| Arm | 3'6" | | 3'0" | Δ | 22 | | | |
| | 4'0" | | 3'6" | 5 | 24 | | | |
| | 4'6" | | 4'0" | 6 | 26 | | | |


TO DETERMINE HAND OF YOUR DOOR:



^{**}NOTE: These forces are for standard templating with bearing type hinges and do not account for pressure differentials and draft.


DC8200xA14 Heavy Duty Friction Hold Open **Parallel Arm Installation Instructions**





ATemplate

Mark Door and Jamb (for QUIK-INSTALL® bracket and arm bracket) Use template and dimensions charted.



| #12-14 self-drilling screw. 1/8 (3) diameter pilot hole required for Wood Applications. | |
|--|--|

(Drop Plate)

2-3/4

(70)

6-3/4

(171)

Bracket)

7-1/4

(184)

3-1/4

(83)


(Soffit Bracket)

11

(279)

7

(178)



(Clearance)

27

(686)

23


(584)


NON


A.D.A.

NOTES:

- Check hand of door, see page 1
- Right Hand Application Shown. Left Hand Opposite.
- Dimensions given in inches (mm). Do Not Scale Drawing.
- Closer must be installed in a true horizontal plane to ensure proper closer performance.
- Friction Hold Open arms are handed and not reversible. See handing marks on soffit plate.







ASSA ABLOY

OPENING

90°


180°

3/8 (10) Dia. This Side Only (4 Places)

DC8200xA14 Heavy Duty Friction Hold Open Parallel Arm Installation Instructions




B Mount QUIK-INSTALL® Bracket




Mount Closer Body to QUIK-INSTALL Bracket

- Start the four mounting screws into the four closer mounting holes.
- Place the closer onto the QUIK-INSTALL bracket with the four mounting screws inserted into the four QUIK-INSTALL bracket slots.
- Tighten the four mounting screws to fasten the closer body to the QUIK-INSTALL bracket.



D Mount Arm to Door Frame



Connect Arm To Closer

Using hex wrench provided, close (turn clockwise) CLOSING SPEED VALVE (see page 4 for location on closer). **DO NOT OVER TIGHTEN.**

- Open door to approximately 60°
- Using wrench on underside of spindle, rotate approximately 135° toward hinge edge of door.


 Install arm on spindle at an approximate 90° angle to door.
 Reopen CLOSING SPEED VALVE.

PINDLE

SPINDLE AT REST

SPINDLE AT REST

SPINDLE ROTATED 135°



ALL ANGLES SHOWN ARE APPROXIMATE

Friction Hold Open Adjustment Nut

Adjustment Nut

F Adj
Oper (If do Oper degree Adjustment Nut)

Corbin Russwin

Adjust Hold Open Position

Open the door to desired degree of hold open. (If door does not open far enough, loosen Hold Open Adjustment Nut.) Place door at the desired degree for hold open and tighten the Hold Open Adjustment Nut.

Rotation: Counter-clockwise will increase (+) angle. Clockwise will decrease (-) angle.

 Pushing door beyond the set hold open point may cause damage to product.

DC8200xA14 Heavy Duty Friction Hold Open Parallel Arm Installation Instructions



G Adjust Closer

Previous Page (2,3)

This Page


Spring Power Adjustment


Locate spring power adjuster from Illustration below DC8200 Size 1 thru 6 Adjustment See Chart

DC8200 SPRING POWER ADJUSTMENT CHART

- All DC8200 closers are factory set at an approximate Size 3.
- Adjust closer as necessary for door size using this chart.
- Readjustment may be required to suit prevailing conditions.

| | Size of Do | Spring Power | | |
|--------------------------------------|--------------------------|--------------------------|--|--|
| Interior | Exterior In Swing | Exterior Out Swing | Adjustment No. Full Turns Clockwise | Equivalent Closer Size (Approx.) |
| 2 4" (712) | 2 ['] 6" (764) | | 2-7 | 3 |
| 2 6" (764) | 3 ['] 0" (915) | | 7-11 | 4 |
| 3 0" (915) | 3 ['] 6" (1067) | 2'6" (764) | 11-15 | 5 |
| 3 ['] 6 ["] (1067) | 4'0" (1219) | 3'0" (915) | 15-17 | 6 |





Closing Speed Valve (1/8 Allen Wrench Provided)
To adjust speed of door closing from fully open to a position
2" to 5" from closed, turn Closing Speed Valve CLOCKWISE to SLOW closing, COUNTER-CLOCKWISE to SPEED closing.

Latching Speed Valve (1/8 Allen Wrench Provided)
After closing speed has been obtained, turn latching speed valve CLOCKWISE to SLOW latching or COUNTER-CLOCKWISE to SPEED latching for last 2" to 5" of door travel.

NOTE: Set combination of CLOSING and LATCHING speeds to between 3 and 7 seconds Use of door by handicapped, elderly or small children may require even greater closing time.

Delayed Action Valve (1/8 Allen Wrench Provided)

Turn valve CLOCKWISE to SLOW closing, COUNTER-CLOCKWISE to SPEED closing. Delayed action may be adjusted from 20 seconds to 90 seconds, depending on degree of door swing. Delay occurs at the beginning of the door closing cycle from fully open down to 70°, where the closing speed valve then begins its control.

Backcheck Intensity Valve

Turn valve COUNTER-CLOCKWISE to reduce backcheck or CLOCKWISE to increase backcheck. (Backcheck should be set to give a soft cushioning action, not a sudden stop.)

Installing Cover

- Slip cover over closer.
- Hold tightly against QUIK-INSTALL® Bracket surface.
- Secure on each side with 6-32 x 1/4" PBHMS screws.

